



Cochrane
Library

Cochrane Database of Systematic Reviews

Cognitive behavioural therapies versus other psychological therapies for depression (Protocol)

Churchill R, Moore THM, Caldwell DM, Davies P, Jones HF, Furukawa TA, Lewis G, Hunot V

Churchill R, Moore THM, Caldwell DM, Davies P, Jones HF, Furukawa TA, Lewis G, Hunot V.

Cognitive behavioural therapies versus other psychological therapies for depression.

Cochrane Database of Systematic Reviews 2018, Issue 10. Art. No.: CD008698.

DOI: 10.1002/14651858.CD008698.pub2.

www.cochranelibrary.com

TABLE OF CONTENTS

HEADER	1
REASON FOR WITHDRAWAL	1
WHAT'S NEW	1
HISTORY	2
SOURCES OF SUPPORT	2

[Intervention Protocol]

Cognitive behavioural therapies versus other psychological therapies for depression

Rachel Churchill¹, Theresa HM Moore², Deborah M Caldwell³, Philippa Davies³, Hannah F Jones⁴, Toshi A Furukawa⁵, Glyn Lewis⁶, Vivien Hunot⁷

¹Centre for Reviews and Dissemination, University of York, York, UK. ²School of Social and Community Medicine, University of Bristol, Bristol, UK. ³Population Health Sciences, Bristol Medical School, University of Bristol, Bristol, UK. ⁴Institute of Mental Health, University of Nottingham, Nottingham, UK. ⁵Department of Health Promotion and Human Behavior, Kyoto University Graduate School of Medicine/School of Public Health, Kyoto, Japan. ⁶UCL Division of Psychiatry, UCL, London, UK. ⁷Centre for Academic Mental Health, School of Social and Community Medicine, University of Bristol, Bristol, UK

Contact address: Rachel Churchill, Centre for Reviews and Dissemination, University of York, Heslington, York, YO10 5DD, UK. rachel.churchill@ccdan.org, rachel.churchill@york.ac.uk

Editorial group: Cochrane Common Mental Disorders Group.

Publication status and date: Withdrawn from publication for reasons stated in the review, published in Issue 10, 2018.

Citation: Churchill R, Moore THM, Caldwell DM, Davies P, Jones HF, Furukawa TA, Lewis G, Hunot V. Cognitive behavioural therapies versus other psychological therapies for depression. *Cochrane Database of Systematic Reviews* 2018, Issue 10. Art. No.: CD008698. DOI: 10.1002/14651858.CD008698.pub2.

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

The editorial group responsible for this previously published document have withdrawn it from publication.

REASON FOR WITHDRAWAL

Supporting better health for those receiving care is central to Cochrane's mission to promote evidence-informed health decision-making by producing high quality, relevant, accessible systematic reviews and other synthesized research evidence.

The Cochrane Common Mental Disorders Group is currently undertaking a strategic portfolio assessment of all existing and planned reviews and protocols, including those relating to depression.

The planned review outlined in this protocol has not been converted into a full Cochrane Review and has been withdrawn by the Common Mental Disorders CRG from the CDSR. The subject area has been identified for conversion into a full network meta-analysis with the existing author team.

WHAT'S NEW

Date	Event	Description
22 October 2018	Amended	Protocol for a Cochrane Review withdrawn from publication.

HISTORY

Protocol first published: Issue 9, 2010

Date	Event	Description
20 June 2012	Amended	Minor changes to methods

SOURCES OF SUPPORT

Internal sources

- University of Bristol, UK.

External sources

- NIHR Programme Grant - UK Department of Health, UK.